

Full Reference List

Adams, A.A., Betancourt, A., Barker, V.D., Siard, M.H., Elzinga, S., Bellaw, J.L., Amodie, D.M. and Nielsen, M.K., 2015. Comparison of the immunologic response to anthelmintic treatment in old versus middle-aged horses. *Journal of Equine Veterinary Science*, 35(11-12), pp. 873–81. Available at: <https://doi.org/10.1016/j.jevs.2015.07.005>

Andersen, U.V., Howe, D.K., Olsen, S.N. and Nielsen, M.K., 2013. Recent advances in diagnosing pathogenic equine gastrointestinal helminths: The challenge of prepatent detection. *Veterinary Parasitology*, 192(1-3), pp. 1-9. Available at: <https://doi.org/10.1016/j.vetpar.2012.11.003>

Ariely, D. 2008. Predictably Irrational: The Hidden Forces That Shape Our Decisions. *New York: Harper Collins*. Available at: <https://ia903108.us.archive.org/33/items/predictablyirrational/predictably%20irrational.pdf>

Barrio-Fernandez, E., De Blas Giral, I., Thiemann, A.K. and Vázquez Bringas, F.J., 2021. Demography, preventative healthcare and reason for relinquishment of donkeys to an equine charity in the UK (2013-2015). *Equine Veterinary Journal*, 53(2), pp. 324–330. Available at: <https://doi.org/10.1111/evj.13310>

Becher, A.M., Mahling, M., Nielsen, M.K. and Pfister, K., 2010. Selective anthelmintic therapy of horses in the Federal states of Bavaria (Germany) and Salzburg (Austria): an investigation into strongyle egg shedding consistency. *Veterinary Parasitology*, 171(1-2), pp. 116–122. Available at: <https://doi.org/10.1016/j.vetpar.2010.03.001>

Beynon, S. A. and Shand, C., 2023. Targeted parasite control to take care of dung beetles. Available at: [dungbeetles-parasitecontrol-jan23.pdf \(westgatelabs.co.uk\)](https://westgatelabs.co.uk/dungbeetles-parasitecontrol-jan23.pdf)

Beynon, S. A., Wainwright, W. A. and Christie, M., 2015. The application of an ecosystem services framework to estimate the economic value of dung beetles to the UK cattle industry. *Ecological Entomology*, 40, pp. 124–135. Available at: <https://doi.org/10.1111/een.12240>

Boyle, A.G. and Houston, R., 2006. Parasitic pneumonitis and treatment in horses. *Clinical Techniques in Equine Practice*, 5(3), pp.225–232. Available at: <https://doi.org/10.1053/j.ctep.2006.03.018>

British Horse Society, 2025. Quarantine New Arrivals. Available at : <https://www.bhs.org.uk/horse-care-and-welfare/health-care-management/horse-health/disease-prevention/>

Brown, D., 2000. Ingestion of equine moxidectin by dogs. *The Veterinary Record*, 147(12), pp. 339- 340. No abstract available: <https://pubmed.ncbi.nlm.nih.gov/11058029/>

Bull, K.E., Allen, K.J., Hodgkinson, J.E., Peachey, L.E., 2023. The first report of macrocyclic lactone resistant cyathostomins in the UK. *International Journal for Parasitology: Drugs and Drug Resistance*, 21, pp. 125-130. Available at: <https://doi.org/10.1016/j.ijpddr.2023.03.001>

Burcáková, L., Königová, A., Kuzmina, T.A., Austin, C.J., Matthews, J.B., Lightbody, K.L., Peczak, N.A., Syrota, Y., Várady, M., 2023. Equine tapeworm (*Anoplocephala* spp.) infection: evaluation of saliva- and serum-based antibody detection methods and risk factor analysis. *Parasitology Research*, 122:3037-3052. Available at: <https://link.springer.com/article/10.1007/s00436-023-07994-1>

Byrne, O., O'Dwyer, S., Jahns, H., Matthews, J.B., Lightbody, K/, Austin, C., Mulcahy, G., Walshe, N., 2025. Acute larval cyathostominosis in thoroughbred horses highlighting innovative diagnostic techniques. *Veterinary Record Case Report*, e70222. Available at: <https://bvajournals.onlinelibrary.wiley.com/doi/epdf/10.1002/vrc2.70222>

Cain, J.L., Slusarewicz, P., Rutledge, M.H., McVey, M.R., Wielgus, K.M., Zynda, H.M., Wehling, L.M., Scare, J.A., Steuer, A.E. and Nielsen, M.K., 2020. Diagnostic performance of McMaster, Wisconsin, and automated egg counting techniques for enumeration of equine strongyle eggs in faecal samples. *Veterinary Parasitology*, 284, p.109199. Available at: <https://doi.org/10.1016/j.vetpar.2020.109199>

Cain, J.L., Peters, K.T., Suri, P., Roher, A., Rutledge, M.H. and Nielsen, M.K., 2021. The effect of analyst training on faecal egg counting variability. *Parasitology research*, 120, pp.1363-1370. Available at: <https://doi.org/10.1007/s00436-021-07074-2>

Cameron, T.W., 1926. On the morphology of the adults and the free living larvae of *Dictyocaulus arnfieldi*, the lung-worm of equines. *Journal of Helminthology*, 4(2), pp.61-68. Available at: <https://doi.org/10.1017/S0022149X00029552>

Clayton, H.M. and Duncan, J.L., 1981. Natural infection with *Dictyocaulus arnfieldi* in pony and donkey foals. *Research in Veterinary Science*, 31(3), pp. 278–280. Available at: [https://doi.org/10.1016/S0034-5288\(18\)32456-1](https://doi.org/10.1016/S0034-5288(18)32456-1)

Corbett, C.J., Love, S., Moore, A., Burden, F.A., Matthews, J.B. and Denwood, M.J., 2014. The effectiveness of faecal removal methods of pasture management to control the cyathostomin burden of donkeys. *Parasites & Vectors*, 7, pp. 1-7. Available at: <https://doi.org/10.1186/1756-3305-7-48>

Cribb, N., Coté, N., Bouré, L., & Peregrine, A., 2006. Acute small intestinal obstruction associated with *Parascaris equorum* infection in young horses: 25 cases (1985–2004). *New Zealand Veterinary Journal*, 54(6), pp. 338–343. Available at: <https://doi.org/10.1080/00480169.2006.36721>

Defra. (2015) Storing organic manures in nitrate vulnerable zones. *GOV.UK*. Available at: <https://www.gov.uk/guidance/storing-organic-manures-in-nitrate-vulnerable-zones>

Drudge, J.H., 1979. Clinical aspects of *Strongylus vulgaris* infection in the horse. *Veterinary Clinics of North America: Large Animal Practice*, 1(2), pp. 251-265. Available at: [https://doi.org/10.1016/s0196-9846\(17\)30183-0](https://doi.org/10.1016/s0196-9846(17)30183-0)

Duncan, J., 1974. Field studies on the epidemiology of mixed strongyle infection in the horse. *The Veterinary Record*, 94(15), pp. 337-345. Available at: <https://europepmc.org/article/MED/4836097>

Dunn, A.M. (1978) *Veterinary Helminthology*, 2nd Edition. Butler and Tanner, London. Not available online.

Easton, S., Pinchbeck, G. L., Tzelos, T., Bartley, D. J., Hotchkiss, E., Hodgkinson, J. E. and Matthews, J. B., 2016. Investigating interactions between UK horse owners and prescribers of anthelmintics. *Preventive Veterinary Medicine*, 135, pp. 17–27. Available at: <https://doi.org/10.1016/J.PREVETMED.2016.10.017>

Elghandour, M.M.M.Y., Adegbeye, M.J., Barbabosa-Pilego, A., Perez, N.R., Hernandez, S.R., Zaragoza-Bastida, A. and Salem, A.Z.M., 2019, Equine contribution in methane emission and its mitigation strategies. *Journal of Equine Veterinary Science*, 72, pp. 56-63. Available at: <https://doi.org/10.1016/j.jevs.2018.10.020>

Elsheikha, E., 2019. How can vets alleviate anthelmintic resistance in donkeys? Available at: <https://www.veterinary-practice.com/article/how-can-vets-alleviate-anthelmintic-resistance-in-donkeys>. [Accessed: 14 April 2023].

Engell-Sørensen, K., Pall, A., Damgaard, C. and Holmstrup, M. 2018. Seasonal variation in the prevalence of equine tapeworms using coprological diagnosis during a seven-year period in Denmark. *Veterinary Parasitology: Regional Studies and Reports*, 12, pp. 22-25. Available at: <https://doi.org/10.1016/j.vprsr.2018.01.002>

Eysker, M., Jansen, J. and Mirck, M.H., 1986. Control of strongylosis in horses by alternate grazing of horses and sheep and some aspects of the epidemiology of Strongylidae infections. *Veterinary Parasitology*, 19(1-2), pp. 103-115. Available at: [https://doi.org/10.1016/0304-4017\(86\)90037-3](https://doi.org/10.1016/0304-4017(86)90037-3)

Fabiani, J.V., Lyons, E.T. and Nielsen, M.K., 2016. Dynamics of *Parascaris* and *Strongylus* spp. parasites in untreated juvenile horses. *Veterinary Parasitology*, 230, pp. 62-66. Available at: <https://doi.org/10.1016/j.vetpar.2016.11.002>

Felippelli, G., Cruz, B.C., Gomes, L.V.C., Lopes, W.D.Z., Teixeira, W.F.P., Maciel, W.G., Buzzulini, C., Bichuette, M.A., Campos, G.P., Soares, V.E. and Bergamasco, P.L.F., 2015. Susceptibility of helminth species from horses against different chemical compounds in Brazil. *Veterinary Parasitology*, 212(3-4), pp.232-238. Available at: <https://doi.org/10.1016/j.vetpar.2015.07.041>

Fesseha, H., Mathewos, M. and Kidanemariam, F., 2020. Anthelmintic efficacy of strongyle nematode to ivermectin and fenbendazole on working donkeys (*Equus asinus*) in and around Hosaena town, Southern Ethiopia. *Veterinary Medicine International*, 4868797. Available at: <https://doi.org/10.1155/2020/4868797>

Finch, D., Schofield, H., Floate, K. D., Kubasiewicz, L. M. and Mathews, F., 2020. Implications of Endectocide Residues on the Survival of Aphodiine Dung Beetles: A Meta-Analysis. *Environmental Toxicology and Chemistry*, 39(4), pp. 863-872. Available at: <https://doi.org/10.1002/etc.4671>

Flanagan, K.L., Morton, J.M. and Sandeman, R.M., 2013. Prevalence of infestation with gastrointestinal nematodes in Pony Club horses in Victoria. *Australian Veterinary Journal*, 91(6), pp. 241-245. Available at: <https://doi.org/10.1111/avj.12052>

Forteau, L., Dumont, B., Sallé, G., Bigot, G., Fleurance, G., 2020. Horses grazing with cattle have reduced strongyle egg count due to the dilution effect and increased reliance on macrocyclic lactones in mixed farms. *Animal*. 14 (5), 1076-1082. Available at: <https://www.sciencedirect.com/science/article/pii/S1751731119002738>

Furtado, T. and Rendle, D., 2021. Creating environments for change: are there new ways to approach horse keeper behaviour in equine parasite control? *Vet Record*, 11(18), 197–199. Available at: <https://doi.org/10.1002/vetr.906>

Getachew, A. M., Innocent, G., Trawford, A. F., Reid, S. W. J. and Love, S., 2010. Epidemiological features of fasciolosis in working donkeys in Ethiopia. *Veterinary Parasitology*, 169(3-4), pp. 335 – 339. Available at: <https://doi.org/10.1016/j.vetpar.2010.01.007>

Gokbulut, C., Aksit, D., Smaldone, G., Mariani, U. and Veneziano, V., 2014. Plasma pharmacokinetics, faecal excretion and efficacy of pyrantel pamoate paste and granule formulations following *per os* administration in donkeys naturally infected with intestinal Strongylidae. *Veterinary Parasitology*, 205(1-2), pp. 186–192. Available at: <https://doi.org/10.1016/j.vetpar.2014.06.026>

Gokbulut, C., Nolan, A.M. and McKellar, Q.A., 2001. Pharmacokinetic disposition and faecal excretion of pyrantel embonate following oral administration in horses. *Journal of Veterinary Pharmacology and Therapeutics*, 24(1), pp. 77-9. Available at:

<https://doi.org/10.1046/j.1365-2885.2001.00305.x>

Gordon, H.M. and Whitlock, H.V., 1939. Modification of the helminth egg counting chamber. *Journal of the Council for Scientific and Industrial Research*, 12, pp.50. Not available online.

Gould, J.C., Rossano, M.G., Lawrence, L.M., Burk, S.V., Ennis, R.B. and Lyons, E.T., 2013. The effects of windrow composting on the viability of *Parascaris equorum* eggs. *Veterinary parasitology*, 191(1-2), pp.73-80. Available at:

<https://doi.org/10.1016/j.vetpar.2012.08.017>

Haseler, C.J., Shrubb, J.L., Davies, H.G., Rendle, D.I., Rathbone, P.C. and Mair, T.S., 2024. Environmental impacts of equine parasiticide treatment: The UK perspective. *Equine Veterinary Education*, 56(3), pp. 389-391. Available at:

<https://doi.org/10.1111/eve.13944>

Hedberg-Alm, Y., Penell, J., Riihimäki, M., Osterman-Lind, E., Nielsen, M.K. and Tydén, E., 2020. Parasite occurrence and parasite management in Swedish horses presenting with gastrointestinal disease- a case-control study. *Animals*, 10(4), pp. 638. Available at: <https://doi.org/10.3390/ani10040638>

Hempel, H., Scheffczyk, A., Schallnaß, H.J., Lumaret, J.P., Alvinerie, M. and Römbke, J., 2006. Toxicity of four veterinary parasiticides on larvae of the dung beetle *Aphodius constans* in the laboratory. *Environmental Toxicology and Chemistry: An International Journal*, 25(12), pp.3155-3163. Available at: <https://doi.org/10.1897/06-022R2.1>

Henriksen, S.A. and Aagaard, K., 1976. A simple flotation and McMaster method (author's translation). *Nordisk veterinærmedicin*, 28(7-8), pp.392-397. Available at:

<https://pubmed.ncbi.nlm.nih.gov/958869/>

Herd RP., 1986. Epidemiology and control of equine strongylosis at Newmarket. *Equine Veterinary Journal*, 18(6), pp. 447-452. Available at: <https://doi.org/10.1111/j.2042-3306.1986.tb03684.x>

Höglund, J., Nilsson, O., Ljungström, B.L., Hellander, J., Lind, E.O., Uggla, A., 1998. Epidemiology of *Anoplocephala perfoliata* infection in foals on a stud farm in south-western Sweden. *Vet Parasitol.* 15;75(1):71-9. Available at: <https://pubmed.ncbi.nlm.nih.gov/9566096/>

Horse Race Betting Levy Board, 2025. International Codes of Practice 2026. Biosecurity. Available at: <https://codes.hblb.org.uk/page/169>

Howell, A.K., Malalana, F., Beesley, N.J., Hodgkinson, J.E., Rhodes, H., Sekiya, M., Archer, D., Clough, H.E., Gilmore, P. and Williams, D.J.L., 2020. *Fasciola hepatica* in UK horses. *Equine Veterinary Journal*, 52(2), pp. 194-199. Available at: <https://doi.org/10.1111/evj.13149>

Hreinsdóttir, I., Hreinsdóttir, A., Eydal, M., Tysnes, K.R. and Robertson, L.J., 2019. *Anoplocephala perfoliata* infection in horses in Iceland: Investigation of associations between intensity of infection and lesions. *Journal of Parasitology*, 105(2), pp.379-386. Available at: <https://doi.org/10.1645/18-159>

Joó, K., Trúzs, R.L., Kálmán, C.Z., Ács, V., Jakab, S., Bába, A. and Nielsen, M.K., 2022. Evaluation of risk factors affecting strongylid egg shedding on Hungarian horse farms. *Veterinary Parasitology: Regional Studies and Reports*, 27, pp. 100663. Available at: <https://doi.org/10.1016/j.vprsr.2021.100663>

Kaplan, R.M. and Nielsen, M.K., 2010. An evidence-based approach to equine parasite control: It ain't the 60s anymore. *Equine Veterinary Education*, 22(6), pp. 306-316. Available at: <https://doi.org/10.1111/j.2042-3292.2010.00084.x>

Kaplan, R.M., Denwood, M., Nielsen, M.K., Thamsborg, S.M., Torgerson, P.R., Gilleard, J.S., Dobson, R.J., Vercruysse, J. and Levecke, B., 2023. World Association for the Advancement of Veterinary Parasitology (WAAVP) guidelines for diagnosing anthelmintic resistance using the faecal egg count reduction test in ruminants, horses

and swine. *Veterinary Parasitology*, 318, pp. 109936. Available at:

<https://doi.org/10.1016/j.vetpar.2023.109936> – in press.

Kjær, L.N., Lungholt, M.M., Nielsen, M.K., Olsen, S.N. and Maddox-Hyttel, C., 2007. Interpretation of serum antibody response to *Anoplocephala perfoliata* in relation to parasite burden and faecal egg count. *Equine veterinary journal*, 39(6), pp.529-533.

Available at: <https://doi.org/10.2746/042516407X217876>

Kukurić, T., Erdeljan, M., Matthews, J.B., Lightbody, K.L., Austin, C.J., Peczak, N., Uzelac, A., Klun, I., Simin, S., 2025. A prevalence study on *Anoplocephala* spp. in Serbian horses: navigating diagnostic challenges and understanding infection risks. *Animals (Basel)*, 15:2094. Available at: <https://pubmed.ncbi.nlm.nih.gov/40723557/>

Lawson, A.L., Malalana, F., and Mair, T.S., 2023. Colitis associated with larval cyathostomiasis: Clinicopathological data and treatment outcomes of 38 hospitalised horses (2009–2020). *Equine Veterinary Education*, 35: pp. 424–435. Available at:

<https://beva.onlinelibrary.wiley.com/doi/full/10.1111/eve.13782>

Leland, S.E., Drudge, J.H., Wyant, Z.N. and Elam, G.W., 1961. Studies on *Trichostrongylus axei* (Cobbold, 1879). VII. Some quantitative and pathologic aspects of natural and experimental infections in the horse. *American Journal of Veterinary Research*, 22(86), pp.128-138. Not available online.

Lester, H.E., Bartley, D.J., Morgan, E.R., Hodgkinson, J.E., Stratford, C.H. and Matthews, J.B., 2013. A cost comparison of faecal egg count-directed anthelmintic delivery versus interval programme treatments in horses. *The Veterinary Record*, 173(15), pp. 371.

Available at: <https://doi.org/10.1136/vr.101804>

Lester, H.E. and Matthews, J.B., 2014. Faecal worm egg count analysis for targeting anthelmintic treatment in horses: points to consider. *Equine Veterinary Journal*, 46(2), pp.139-145. Available at: <https://doi.org/10.1111/evj.12199>

Lester, H.E., Morgan, E.R., Hodgkinson, J.E. and Matthews, J.B., 2018. Analysis of strongyle egg shedding consistency in horses and factors that affect it. *Journal of*

Equine Veterinary Science. 60, pp. 113-119. Available at:

<https://doi.org/10.1016/j.jevs.2017.04.006>

Lightbody, K.L., Austin, A., Lambert, P.A., Samson-Himmelstjerna, G.V., Jürgenschellert, L., Krücken, J., Nielsen, M.K., Sallé, G., Reigner, F., Donnelly, C.G., Finno, C., Walshe, N., Mulcahy, G., Housby-Skeggs, N., Grice, S., Geyer, K.K., Corrine J. Austin, C.J. and Matthews, J.B., 2024. Validation of a serum ELISA test for cyathostomin infection in equines. *International Journal for Parasitology*, 54(1), pp-23-32. Available at: <https://doi.org/10.1016/j.ijpara.2023.07.001>

Lightbody, K.L., Davis, P.J. and Austin, C.J., 2016. Validation of a novel saliva-based ELISA test for diagnosing tapeworm burden in horses. *Veterinary Clinical Reports*, 45(2), pp. 335-346. Available at: <https://doi.org/10.1111/vcp.12364>

Lightbody, K.L., Matthews, J.B., Kemp-Symonds, J.G., Lambert, P.A. and Austin, C.J., 2017. Use of a saliva-based diagnostic test to identify tapeworm infection in horses in the UK. *Equine Veterinary Journal*, 50(2), pp. 213-219. Available at: <https://doi.org/10.1111/evj.12742>

Lyons, E.T., Tolliver, J.H., Drudge, J.H., Swerczek, T.W. and Crowe, M.W., 1985. Lungworms (*Dictyocaulus arnfieldi*): prevalence in live equids in Kentucky. *American Journal of Veterinary Research*, 46(4), pp. 9-21. Available at: <https://eurekamag.com/research/001/403/001403631.php>

Lyons, E.T., Tolliver, S.C. and Collins, S.S., 2009. Probable reason why small strongyle EPG counts are returning “early” after ivermectin treatment of horses on a farm in Central Kentucky. *Parasitology research*, 104, pp.569-574. Available at: <https://doi.org/10.1007/s00436-008-1231-x>

MAFF. 1986. Manual of Veterinary Parasitological Laboratory Techniques. Her Majesty's Stationery Office. Available at: https://openlibrary.org/books/OL19658273M/Manual_of_veterinary_parasitological_laboratory_techniques.

Mair, T.S., Opie, R., Moreton-Clack, M., Parkin, T.D. and Matthews, J.B., 2024. Strongyle egg reappearance periods following moxidectin treatment in horses in Southeast England. *Equine Veterinary Education*, 36(1), pp.36-41. Available at:

<https://doi.org/10.1111/eve.13848>

Manning, P., Slade, E. M., Benyon, S. A. and Lewis, O. T., 2017. Effect of dung beetle species richness and chemical perturbation on multiple ecosystem functions.

Ecological Entomology, 42, pp. 577-586. Available at:

<https://doi.org/10.1111/een.12421>

Matthews, J.B. and Burden, F.A., 2013. Common helminth infections of donkeys and their control in temperate regions. *Equine Veterinary Education*, 25(9), pp. 461-467.

Available at: <https://doi.org/10.1111/eve.12018>

Matthews, J., and Lester, H., 2015. Control of equine nematodes: making the most of faecal egg counts. *In Practice*, 37(10), pp.540-544. Available at:

<https://doi.org/10.1136/inp.h6139>

Matthews J.B., Lightbody K.L., Peczak N., Austin C.J., 2024. An update on the use of saliva-based diagnostics for *Anoplocephala perfoliata* infections in horses. *Equine Veterinary Education*, 36, S13:14-15. Available at:

https://beva.onlinelibrary.wiley.com/doi/10.1111/eve.13_14008

Matthews, J.B., Mair, T.S., 2025. Sustainable control of cyathostomin infections in practice. *Equine Veterinary Education*. 00:1-9. Available at:

<https://beva.onlinelibrary.wiley.com/doi/pdf/10.1111/eve.14182>.

Matthews J.B., Peczak, N., Engeham, S., 2024. An update on the latest developments in testing for equine helminths. *In Practice*, 46:34-41. Available at:

<https://bvajournals.onlinelibrary.wiley.com/doi/epdf/10.1002/inpr.391>

Matthews, J.B., Peczak, N., Lightbody, K.L., 2023. The use of innovative diagnostics to inform sustainable control of equine helminth infections. *Pathogens*, 12:1233.

Available at: <https://www.mdpi.com/2076-0817/12/10/1233>

Matthews, J.B., Stephenson, S., Slote, M. and Nussey, D.H., 2013. Variation in faecal egg counts in horses managed for conservation purposes: individual egg shedding consistency, age effects and seasonal variation. *Parasitology* 140, 115–128. Available at: <https://www.cambridge.org/core/journals/parasitology/article/abs/variation-in-fecal-egg-counts-in-horses-managed-for-conservation-purposes-individual-egg-shedding-consistency-age-effects-and-seasonal-variation/625BF819BE8135D8C3A8FEEA5D8D9CD6>

McKellar, Q.A., Gokbulut, C., Muzandu, K. and Benchaoui, H., 2002. Fenbendazole Pharmacokinetics, Metabolism, and Potentiation in Horses. *Drug Metabolism and Disposition*. 30(11), pp. 1230-1239. Available at: <https://doi.org/10.1124/dmd.30.11.1230>

McTigue, F. E., Mansbridge, S. C. and Pyatt, A. Z., 2022. Equine Anthelmintic Resistance: Horse Owner and Yard Manager Perception of the Barriers Affecting Strategic Control Measures in England. *Veterinary Sciences*, 9(10), pp 560-578. Available at: <https://doi.org/10.3390/vetsci9100560>

Meana, A., Pato, N., Martín, R., Mateos, A., Pérez-García, J., Luzón, M., 2005. Epidemiological studies on equine cestodes in central Spain: infection pattern and population dynamics. *Veterinary Parasitology*, 130, 233–240. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S03044401705001718?via%3Dihub>

Mendoza, F.J., Perez-Ecija, A. and Toribio, R. E., 2019. Clinical Pharmacology in Donkeys and Mules. *Veterinary Clinics of North America: Equine Practice*, 35(3), pp. 589-606. Available at: <https://doi.org/10.1016/j.cveq.2019.08.011>

Mfitlodze, M.W. and Hutchinson, G.W., 1987. Development and survival of free-living stages of equine strongyles under laboratory conditions. *Veterinary Parasitology*, 23(1-2), pp. 121-133. Available at: [https://doi.org/10.1016/0304-4017\(87\)90030-6](https://doi.org/10.1016/0304-4017(87)90030-6)

Mfitlodze, M.W. and Hutchinson, G.W., 1988. Development of free-living stages of equine strongyles in faeces on pasture in a tropical environment. *Veterinary*

Parasitology, 26(3-4), pp. 285-296. Available at: [https://doi.org/10.1016/0304-4017\(88\)90097-0](https://doi.org/10.1016/0304-4017(88)90097-0)

Michie, S., van Stralen, M. M. and West, R., 2011. The behaviour change wheel: a new method for characterising and designing behaviour change interventions.

Implementation Science, 6(1)pp. 1-12. Available at: <https://doi.org/10.1186/1748-5908-6-42>

Middlecote, L. and Brown, H., 2019. Do owners administer inappropriate doses of anthelmintic based on an inaccurate perception of their horse's bodyweight?. *The Veterinary Nurse*, 10(10), pp.552-558. Available at:

<https://doi.org/10.12968/vetn.2019.10.10.552>

Netherwood, T., Wood, J.L.N., Townsend, H.G.G., Mumford, J.A., and Chanter, N., 1996. Foal diarrhoea between 1991 and 1994 in the United Kingdom associated with *Clostridium perfringens*, rotavirus, *Strongyloides westeri* and *Cryptosporidium* spp. *Epidemiology and Infection*, 117: pp. 375-383. Available at:

<https://www.deepdyve.com/lp/unpaywall/foal-diarrhoea-between-1991-and-1994-in-the-united-kingdom-associated-bPPP9KcpL0e>

Nichols, E. and Gomez, A., 2014. Dung beetles and faecal helminth transmission: patterns, mechanisms and questions. *Parasitology*, 141(5), pp. 614-623. Available at: <https://doi.org/10.1017/S0031182013002011>

Nielsen, K. and Anderson, S., 1981. Dictyocaulus in horses, probably transmitted by a donkey. *Dansk Veterinaertidsskrift*, 64, pp. 24-126. Not available online.

Nielsen, M.K, Vidyashankar, A.N, Olsen, S.N, Monrad, J. and Thamsborg, S.M., 2012a. *Strongylus vulgaris* associated with usage of selective therapy on Danish horse farms – is it reemerging? *Veterinary Parasitology*, 189(1-2), pp. 260-266. Available at:

<https://doi.org/10.1016/j.vetpar.2012.04.039>

Nielsen, M.K., 2016a. Equine tapeworm infections: Disease, diagnosis and control. *Equine Veterinary Education*, 28(7), pp. 388-395. Available at: <https://doi.org/10.1111/eve.12394>

Nielsen, M.K., 2016b. Evidence-based considerations for control of *Parascaris* spp. infections in horses. *Equine Veterinary Education*, 28(4), pp. 224-231. Available at: <https://doi.org/10.1111/eve.12536>

Nielsen, M.K., 2021. What makes a good faecal egg count technique? *Veterinary parasitology*, 296, pp.109509. Available at: <https://doi.org/10.1016/j.vetpar.2021.109509>

Nielsen, M.K., 2022. Anthelmintic resistance in equine nematodes: Current status and emerging trends. *International Journal for Parasitology: Drugs and Drug Resistance*. 20, pp. 76-88. Available at: <https://doi.org/10.1016/j.ijpddr.2022.10.005>

Nielsen, M.K., 2023. Apparent treatment failure of praziquantel and pyrantel pamoate against anoplocephalid tapeworms. *International Journal for Parasitology: Drugs and Drug Resistance*, 22, 96-101. Available at: <https://europepmc.org/article/PMC/10331019>

Nielsen, M.K., Banahan, M. and Kaplan, R.M., 2020. Importation of macrocyclic lactone resistant cyathostomins on a US thoroughbred farm. *International Journal for Parasitology: Drugs and Drug Resistance*, 14, pp. 99–104. Available at: <https://doi.org/10.1016/j.ijpddr.2020.09.004>

Nielsen, M.K., Baptiste, K.E., Tolliver, S.C., Collins, S.S. and Lyons, E.T., 2010. Analysis of multiyear studies in horses in Kentucky to ascertain whether counts of eggs and larvae per gram of faeces are reliable indicators of numbers of strongyles and ascarids present. *Veterinary Parasitology*, 174(1-2), pp.77-84. Available at: <https://doi.org/10.1016/j.vetpar.2010.08.007>

Nielsen, M.K., Branen, M.A., Wiedenheft, A.M., Digianantonio, R., Scare, J.A., Bellaw, J.L., Garber, L.P., Koprak, C.A., Phillippi-Taylor, A.M. and Traub-Dargatz, J.L., 2018. Risk factors associated with strongylid egg count prevalence and abundance in the United

States equine population. *Veterinary Parasitology*, 257, pp. 58-68. Available at:

<https://doi.org/10.1016/j.vetpar.2018.05.006>

Nielsen, M.K., Donoghue, E.M., Stephens, M.L., Stowe, C.J., Donecker, J.M. and Fenger, C.K., 2016b. An ultrasonographic scoring method for transabdominal monitoring of ascarid burdens in foals. *Equine Veterinary Journal*, 48(3), pp. 380-386. Available at:

<https://doi.org/10.1111/evj.12478>

Nielsen, M.K., Haaning, N. and Olsen, S.N., 2006. Strongyle egg shedding consistency in horses on farms using selective therapy in Denmark. *Veterinary Parasitology*, 135(3-4), pp. 333–335. Available at: <https://doi.org/10.1016/j.vetpar.2005.09.010>

Nielsen, M.K., Jacobsen, S., Olsen, S.N., Bousquet, E. and Pihl T., 2016a. Nonstrangulating intestinal infarction associated with *Strongylus vulgaris* in referred Danish equine cases. *Equine Veterinary Journal*, 48(3), pp.376– 9. Available at:

<https://doi.org/10.1111/evj.12422>

Nielsen, M.K., Kaplan, R.M., Thamsborg, S.M., Monrad, J. and Olsen, S.N., 2007. Climatic influences on development and survival of free-living stages of equine strongyles: implications for worm control strategies and managing anthelmintic resistance. *The Veterinary Journal*, 174(1), pp. 23-32. Available at:

<https://doi.org/10.1016/j.tvjl.2006.05.009>

Nielsen, M.K., Leathwick, D.M. and Sauermann, C.W., 2023. Shortened strongylid egg reappearance periods in horses following macrocyclic lactone administration – the impact on parasite dynamics. *Veterinary Parasitology*, 320, pp-109977. Available at:

<https://doi.org/10.1016/j.vetpar.2023.109977>

Nielsen, M.K., Lyons, E.T., 2017. Encysted cyathostomin larvae in foals - progression of stages and the effect of seasonality. *Veterinary Parasitology*, 236, pp. 108-112.

Available at: <https://pure.au.dk/portal/en/publications/encysted-cyathostomin-larvae-in-foals-progression-of-stages-and-t/>

Nielsen, M.K., Olsen, S.N., Lyons, E.T., Monrad, J. and Thamsborg, S.M., 2012b. Real-time PCR evaluation of *Strongylus vulgaris* in horses on farms in Denmark and Central

Kentucky. *Veterinary Parasitology*, 190(3-4), pp. 461-466. Available at:

<https://doi.org/10.1016/j.vetpar.2012.07.018>

Nielsen, M.K., Peterson, D.S., Monrad, J., Thamsborg, S.M., Olsen, S.N. and Kaplan, R.M., 2008. Detection and semi-quantification of *Strongylus vulgaris* DNA in equine faeces by real-time quantitative PCR. *International Journal for Parasitology*, 38(3-4), pp. 443-453. Available at: <https://doi.org/10.1016/j.ijpara.2007.07.014>

Nielsen, M.K., Steuer, A.E., Anderson, H.P., Gavriluc, S., Carpenter, A.B., Redman, E.M., Gilleard, J.S., Reinemeyer, C.R. and Poissant, J., 2022a. Shortened egg reappearance periods of equine cyathostomins following ivermectin or moxidectin treatment: Morphologic and molecular investigation of efficacy and species composition. *International Journal for Parasitology*, 52(12), pp. 787-798. Available at: <https://doi.org/10.1016/j.ijpara.2022.09.003>

Nielsen, M.K., Vidyashankar, A.N., Andersen, U.V., DeLisi, K., Pilegaard, K. and Kaplan, R.M., 2010. Effects of faecal collection and storage factors on strongylid egg counts in horses. *Veterinary parasitology*, 167(1), pp.55-61. Available at: <https://doi.org/10.1016/j.vetpar.2009.09.043>

Nielsen, M.K., Vidyashankar, A.N., Olsen, S.N., Monrad, J. and Thamsborg, S.M., 2012a. *Strongylus vulgaris* associated with usage of selective therapy on Danish horse farms – is it reemerging? *Veterinary parasitology*, 189, 260-266. Available at: <https://pubmed.ncbi.nlm.nih.gov/22703964/>

Nielsen, M.K., von Samson-Himmelstjerna, G., Kuzmina, T.A., van Doorn, D.C.K., Meana, A., Rehbein, S., Elliott, T. and Reinemeyer, C.R., 2022b. World Association for the Advancement of Veterinary Parasitology (WAAVP): Third edition of guideline for evaluating the efficacy of equine anthelmintics. *Veterinary Parasitology*, 303, pp. 109676. Available at: <https://doi.org/10.1016/j.vetpar.2022.109676>

Nilsson, O., Ljungstrom, B.L., Höglund, J., Lundquist, H. and Ugglå, A., 1995. *Anoplocephala perfoliata* in horses in Sweden: prevalence, infection levels and

intestinal lesions. *Acta Veterinaria Scandinavica*, 36, pp. 319-328. Available at:

<https://doi.org/10.1186/BF03547677>

Noel, M.L., Scare, J.A., Bellaw, J.L. and Nielsen, M.K., 2017. Accuracy and precision of mini-FLOTAC and McMaster techniques for determining equine strongyle egg counts. *Journal of Equine Veterinary Science*, 48, pp.182-187. Available at:

<https://doi.org/10.1016/j.jevs.2016.09.006>

Ogbourne, C.P., 1972. Observations on the free-living stages of strongylid nematodes of horses. *Parasitology*, 64(3), pp. 461-477. Available at:

<https://doi.org/10.1017/S0031182000045534>

Ogbourne, C.P., 1975. Epidemiological studies on horses infected with nematodes of the family Trichonematidae (Witenberg, 1925). *International Journal for Parasitology*, 5(6), pp. 667-672. Available at: [https://doi.org/10.1016/0020-7519\(75\)90067-3](https://doi.org/10.1016/0020-7519(75)90067-3)

Okaiyeto, B.F., Bedu, S.A.K., Kolo, M.A., Tangang, A. and Salisu, I., 2022. Effects of levamisole on haematological and oxidative stress parameters in packed donkeys; efficacy of levamisole and ivermectin against strongyle infection in donkeys. *Research Square*. [preprint]. Available at: <https://doi.org/10.21203/rs.3.rs-2320167/v1>

Osterman-Lind, E., Hedberg Alm, Y., Hassler, H., Wilderöth, H., Thorolfson, H. and Tydén, E., 2022. Evaluation of strategies to reduce equine strongyle infective larvae on pasture and study of larval migration and overwintering in a Nordic climate. *Animals*, 12(22), pp. 3093. Available at: <https://doi.org/10.3390/ani12223093>

Pacek, S., Seniczak, A., Graczyk, R., Chachaj, C., Waldon-Rudzionek, B., 2020. The effect of grazing by geese, goats, and fallow deer on soil mites (Acari). *Turkish Journal of Zoology*, 44: 254-265. Available at:

<https://journals.tubitak.gov.tr/cgi/viewcontent.cgi?article=1097&context=zoology>

Papini, R.A., Orsetti, C. and Sgorbini, M. A., 2020. Controlled Study on Efficacy and Egg Reappearance Period of Ivermectin in Donkeys Naturally Infected with Small Strongyles. *Helminthologia*, 57(2), pp. 163-170. Available at:

<https://doi.org/10.2478/helm-2020-0017>

Pérez, R., Cabezas, I., Sutra, J.F., Galtier, P. and Alvinerie, M., 2001. Faecal Excretion Profile of Moxidectin and Ivermectin after Oral Administration in Horses. *The Veterinary Journal*, 161, 85–92. Available at: <https://doi.org/10.1053/tvj.2000.0521>

Pfister, K. and van Doorn, D., 2018. New perspectives in equine intestinal parasitic disease: insights in monitoring helminth infections. *Veterinary Clinics: Equine Practice*, 34(1), pp. 141-153. Available at: <https://doi.org/10.1016/j.cveq.2017.11.009>

Pihl, T.H., Nielsen, M.K., Olsen, S.N., Leifsson, P.S. and Jacobsen, S., 2018. Non-strangulating intestinal infarctions associated with *Strongylus vulgaris*: clinical presentation and treatment outcomes of 30 horses (2008–2016). *Equine Veterinary Journal*, 50(4), pp. 474– 80. Available at: <https://doi.org/10.1111/evj.12779>

Poynter, D., 1954. Seasonal fluctuation in the number of strongyle eggs. *The Veterinary Record*, 66(5), pp, 74-78. Not available online.

Proudman, C.J. and Edwards, G.B., 1992. Validation of a centrifugation/flotation technique for the diagnosis of equine cestodiasis. *The Veterinary Record*, 131(4), pp.71-72. Available at: <https://doi.org/10.1136/vr.131.4.71>

Proudman, C.J. and Trees, A.J., 1996. Use of excretory/secretory antigens for the serodiagnosis of *Anoplocephala perfoliata* cestodosis. *Veterinary Parasitology*, 61(3-4), pp. 239-247. Available at: [https://doi.org/10.1016/0304-4017\(95\)00837-3](https://doi.org/10.1016/0304-4017(95)00837-3)

Proudman, C.J., French, N.P. and Trees, A.J., 1998, Tapeworm infection is a significant risk factor for spasmodic colic and ileal impaction colic in the horse. *Equine Veterinary Journal*, 30: pp. 194-199. Available at: <https://eurekamag.com/research/003/292/003292652.php>

Rehbein, S., Visser, M., Winter, R., 2013. Prevalence, intensity and seasonality of gastrointestinal parasites in abattoir horses in Germany. *Parasitology Research*. 2013, 112, 407–413. Available at: <https://link.springer.com/article/10.1007/s00436-012-3150-0>

Reinemeyer, C.R. and Nielsen, M.K., 2014. Review of the biology and control of *Oxyuris equi*. *Equine Veterinary Education*, 26(11), pp.584-591. Available at:

<https://doi.org/10.1111/eve.12218>

Reinemeyer, C.R., 2012. Anthelmintic resistance in non-strongylid parasites of horses. *Veterinary Parasitology*, 185(1), pp.9-15. Available at:

<https://doi.org/10.1016/j.vetpar.2011.10.009>

Reinemeyer, C.R., Prado, J.C. and Nielsen, M.K., 2015. Comparison of the larvicidal efficacies of moxidectin or a five-day regimen of fenbendazole in horses harbouring cyathostomin populations resistant to the adulticidal dosage of fenbendazole. *Veterinary Parasitology*, 214 (1-2), pp.100-107. Available at:

<https://doi.org/10.1016/j.vetpar.2015.10.003>

Reinemeyer, C.R., Scholl, P.J., Andrews, F.M. and Rock, D.W., 2000. Efficacy of moxidectin oral gel against endoscopically-confirmed *Gasterophilus nasalis* and *Gasterophilus intestinalis* (Diptera: Oestridae) infections in horses. *Veterinary Parasitology*. 138, pp. 234-291. Available at:

<https://www.sciencedirect.com/science/article/abs/pii/S0304401799002125>

Relf, V.E., Lester, H.E., Morgan, E.R., Hodgkinson, J.E. and Matthews, J.B., 2014. Anthelmintic efficacy on UK Thoroughbred stud farms. *International Journal for Parasitology*, 44(8), pp.507-514. Available at:

<https://pure.sruc.ac.uk/en/publications/anthelmintic-efficacy-on-uk-thoroughbred-stud-farms/>

Relf, V.E., Morgan, E.R., Hodgkinson, J.E. and Matthews, J.B. 2013. Helminth egg excretion with regard to age, gender and management practices on UK Thoroughbred studs. *Parasitology*, 140(5), pp. 641-652. Available at:

<https://doi.org/10.1017/S0031182012001941>

Rendle, D., Austin, C., Bowen, M., Cameron, I., Furtado, T., Hodgkinson, J., McGorum, B. and Matthews, J., 2019. Equine de-worming: a consensus on current best practice.

UK-Vet Equine, 3(Sup1), pp. 1–14. Available at:

<https://doi.org/10.12968/ukve.2019.3.S.3>

Rendle, D., Hughes, K., Bowen, M., Bull, K., Cameron, I., Furtado, T., Peachey, L., Sharpe, L. and Hodgkinson, J., 2024. BEVA primary care clinical guidelines: Equine parasite control. *Equine Veterinary Journal*. 56(3), pp-392-424. Available at:

<https://doi.org/10.1111/evj.14036>

Rickards, K.J. and Thiemmann, A.K., 2019. Respiratory Disorders of the Donkey.

Veterinary Clinics of North America: Equine Practice, 35(3), pp. 561–573. Available at:

<https://doi.org/10.1016/j.cveq.2019.08.009>

Ripley, N.E., Gravatte, H.S., Britton, L.N., Davis, S.M., Perrin, G.M., Warner, S., Rexroat, E.K., Vetter, A.L., Maron, E.E.S., Finnerty, C.A., Stanton, V., Nielsen, M.K., 2023.

Parascaris spp. eggs shedding patterns in juvenile horses. *Veterinary Parasitology*, 322, 110029. Available at:

<https://www.sciencedirect.com/science/article/abs/pii/S03044401723001607>

Rock, C., Pomroy, W., Gee, E. and Scott, I., 2013, August. Macrocyclic lactone resistant Oxyuris equi in New Zealand. *In Proceedings of 24th International Conference of the WAAVP* (Vol. 25, p. 520). Not available online.

Rode, B. and Jorgensen, R.J., 1989. Baermannization of *Dictyocaulus* spp. from faeces of cattle, sheep and donkeys. *Veterinary Parasitology*, 30(3), pp. 205-211. Available at:

[https://doi.org/10.1016/0304-4017\(89\)90016-2](https://doi.org/10.1016/0304-4017(89)90016-2)

Royal College of Veterinary Surgeons (2023) *Code of Professional Conduct for Veterinary Surgeons and Supporting Guidance*. Available at:

<https://www.rcvs.org.uk/setting-standards/advice-and-guidance/code-of-professional-conduct-for-veterinary-surgeons/pdf/> [Accessed 26 January 2023].

Rzekęć, A., Vial, C. and Bigot, G., 2020. Green assets of equines in the European context of the ecological transition of agriculture. *Animals*, 10, pp. 106. Available at:

<https://doi.org/10.3390/ani10010106>

- Sallé, G., Cortet, J., Koch, C., Gascogne, T., Reigner, F. and Cabaret, J., 2016. Ivermectin failure in the control of *Oxyuris equi* in a herd of ponies in France. *Veterinary Parasitology*, 229, pp.73-75. Available at: <https://doi.org/10.1016/j.vetpar.2016.09.020>
- Sands, B. and Noll, M., 2022. Toxicity of ivermectin residues in aged farmyard manure to terrestrial and freshwater invertebrates. *Insect Conservation and Diversity*, 15(9), pp, 9-18. Available at: <https://doi.org/10.1111/icad.12526>
- Sands, B. and Wall, R., 2018. Sustained parasiticide use in cattle farming affects dung beetle functional assemblages. *Agriculture, Ecosystems & Environment*, 265, pp. 226-235. Available at: <https://doi.org/10.1016/j.agee.2018.06.012>
- Scháňková, Š., Maršálek, M., Wagnerová, P., Lukešová, D., Starostová, L., Jankovská, I., Čadková, Z., Kudrnáčová, M., Brožová, A., Truněčková, J. and Langrová, I., 2013. Treatment failure of ivermectin for *Oxyuris equi* in naturally infected ponies in Czech Republic. *Helminthologia*, 50, pp.232-234. Available at: <https://doi.org/10.2478/s11687-013-0134-2>
- Scheuerle, M.C., Stear, M.J., Honeder, A., Becher, A.M. and Pfister, K., 2016. Repeatability of strongyle egg counts in naturally infected horses. *Veterinary Parasitology*, 228 (15), pp. 103–107. Available at: <https://doi.org/10.1016/j.vetpar.2016.08.021>
- Schwarz, M. and Bonhotal, J., 2016. The fate of Ivermectin in manure composting. *Cornell Waste Management Institute*. Available at: <https://hdl.handle.net/1813/43912>
- Slade, E.M., Riutta, T., Roslin, T. and Tuomsita, H.L., 2016. The role of dung beetles in reducing greenhouse gas emissions from cattle farming. *Scientific Reports*, 6(1), pp 1-9. Available at: <https://doi.org/10.1038/srep18140>
- Service, O., Hallsworth, M., Halpern, D., Algate, F., Gallagher, R., Nguyen, S., Ruda, S., Sanders with Marcos Pelenur, M., Gyani, A., Harper, H., Reinhard, J. and Kirkman, E., n.d., 2017. EAST: Four simple ways to apply behavioural insights. Available at: <https://ojs.unbc.ca/index.php/design/article/view/1658>

Shrubb, J., Robinson, N., Rendle, D., Schofield, I., Scott, C., Crabtree, J., Hunter, G., Dean, R., Parker, R. and Mair, T., 2025. Project WORMS (working to overcome resistance and make for a sustainable future): Horse owner survey of equine parasite control. Part 2. Anthelmintic use. *Equine Veterinary Education*. Available at: <https://doi.org/10.1111/eve.14116>

Singer, J.W., Bamka, W.J., Kluchinski, D., and Govindasamy R., 2002. Using the recommended stocking density to predict equine pasture management. *Journal of Equine Veterinary Science*, 22(2), 73–76. Available at: [https://doi.org/10.1016/S0737-0806\(02\)70092-0](https://doi.org/10.1016/S0737-0806(02)70092-0)

Slocombe, J.O., Valenzuela, J. and Lake, M.C., 1987. Epidemiology of strongyles in ponies in Ontario. *Canadian Journal of Veterinary Research*, 51(4), pp. 470-474. Available at: <https://europepmc.org/backend/ptpmcrender.fcgi?accid=PMC1255367&blobtype=pdf>

Slocombe, J.O.D., 1985. Pathogenesis of helminths in equines. *Veterinary Parasitology*, 18(2), pp. 139–153. Available at: [https://doi.org/10.1016/0304-4017\(85\)90063-9](https://doi.org/10.1016/0304-4017(85)90063-9)

Snowdon, N.J., Helyar, C.V., Platt, S.R. and Penderis, J., 2006. Clinical presentation and management of moxidectin toxicity in two dogs. *Journal of Small Animal Practice*, 47(10), pp. 620-624. Available at: <https://doi.org/10.1111/j.1748-5827.2006.00081.x>

Solomon, T., Bogale, B., Chanie, M. and Melaku, A., 2012. Occurrence of lungworm infection in equines and their associated risk factors. *Global Veterinaria*, 8(1), pp. 35–38. Available at: https://www.researchgate.net/publication/267805396_Occurrence_of_Lungworm_Infection_in_Equines_and_Their_Associated_Risk_Factors

Stratford, C.H., McGorum, B.C., Pickles, K.J. and Matthews, J.B., 2011. An update on cyathostomins: anthelmintic resistance and diagnostic tools. *Equine Veterinary Journal*, 43 (s39), pp. 133–139. Available at: <https://doi.org/10.1111/j.2042-3306.2011.00397.x>

Sullivan, R. and Vogel, P., 2023. Therapeutics in veterinary care of the donkey. *UK Vet – Equine*, 7(1), pp. 31-36. Available at: <https://doi.org/10.12968/ukve.2023.7.1.32>

The Blue Cross, Last updated 2019, <https://www.bluecross.org.uk/advice/dog/is-horse-manure-dangerous-to-dogs> [Accessed: 01 March 2023]

Tydén, E., Enemark, H.L., Franko, M.A., Höglund, J. and Osterman-Lind, E., 2019. Prevalence of *Strongylus vulgaris* in horses after ten years of prescription usage of anthelmintics in Sweden. *Veterinary Parasitology*, 276, pp. 100013. Available at: <https://doi.org/10.1016/j.vpoa.2019.100013>

Tzelos, T., Barbeito, J.S.G., Nielsen, M.K., Morgan, E.R., Hodgkinson, J.E. and Matthews, J.B., 2017. Strongyle egg reappearance period after moxidectin treatment and its relationship with management factors in UK equine populations. *Veterinary Parasitology*, 237, pp. 70-76. Available at: <https://doi.org/10.1016/j.vetpar.2017.02.018>

Tzelos, T., Morgan, E.R., Easton, S., Hodgkinson, J.E. and Matthews, J.B., 2019. A survey of the level of horse owner uptake of evidence-based anthelmintic treatment protocols for equine helminth control in the UK. *Veterinary Parasitology*, 247, pp. 108926. Available at: <https://doi.org/10.1016/j.vetpar.2019.108926>

Veterinary Medicines Directorate (2024a) *Pharmacovigilance of Veterinary Medicines in Great Britain*. Available at: <https://www.gov.uk/government/publications/pharmacovigilance-of-veterinary-medicines-in-great-britain> [Accessed 21 May 2024].

Veterinary Medicines Directorate (2024b) *Pharmacovigilance of Veterinary Medicines in Great Britain: Guideline III Adverse Event Reporting*. Available at: <https://www.gov.uk/government/publications/pharmacovigilance-of-veterinary-medicines-in-great-britain/adverse-event-reporting> [Accessed 21 May 2024].

Veterinary Medicines Directorate (2024c) *Pharmacovigilance of Veterinary Medicines in Great Britain: Glossary*. Available at: <https://www.gov.uk/government/publications/pharmacovigilance-of-veterinary-medicines-in-great-britain/glossary> [Accessed 21 May 2024].

Veterinary Medicines Directorate. 2022. VMD hosts Equine Anthelmintic Resistance Stakeholder Workshop. Available at: <https://www.gov.uk/government/news/vmd-hosts-equine-anthelmintic-resistance-stakeholder-workshop>. [Accessed: 14 April 2023].

Veterinary Medicines Regulations 2013 (S.I. 2013/2033), as amended. Available at: <https://www.legislation.gov.uk/uksi/2013/2033/contents>

Vineer, H. R., Velde, F. Vande, Bull, K., Claerebout, E. and Morgan, E. R., 2017. Attitudes towards worm egg counts and targeted selective treatment against equine cyathostomins. *Preventive Veterinary Medicine*, 144, pp. 66–74. Available at: <https://doi.org/10.1016/j.prevetmed.2017.05.002>

Walshe, N., Burrell, A., Kenny, U., Mulchay, G., Duggan, V. and Regan, Á., 2023. A qualitative study of perceived barriers and facilitators to sustainable parasite control on thoroughbred studs in Ireland. *Veterinary Parasitology*, 317, pp. 109904. Available at: <https://doi.org/10.1016/j.vetpar.2023.109904>

Walshe, N., Mulcahy, G., Crispie, F., Cabrera-Rubio R., Cotter, P., Jahns, H. and Duggan, V., 2021. Outbreak of acute larval cyathostominosis – A “perfect storm” of inflammation and dysbiosis. *Equine Veterinary Journal*, 53(4), 727–739. Available at: <https://doi.org/10.1111/evj.13350>

Wartell, B.A., Krumins, V., Alt, J., Kang, K., Schwab, B.J. and Fennell, D.E., 2012. Methane production from horse manure and stall waste with softwood bedding. *Bioresource Technology*, 112, pp. 42-50. Available at: <https://doi.org/10.1016/j.biortech.2012.02.012>

Weaving, H., Sands, B. and Wall, R., 2019. Reproductive sublethal effects of macrocyclic lactones and synthetic pyrethroids on the dung beetle *Onthophagus similis*. *Bulletin of Entomological Research*, 110(2), pp. 195-200. Available at: <https://doi.org/10.1017/S0007485319000567>

Wickenden, H., Lightbody, K.L., Peczak, N., Austin, C.J., Stevens, K.B., Blake, D.P., Matthews, J.B., Fox, M.T., 2025. A study of the epidemiology of *Anoplocephala*

perfoliata infection in horses and the oribatid mite vector in southern England. *International Journal for Parasitology*, vol 55, issue 14, pp. 783-794. Available at: <https://doi.org/10.1016/j.ijpara.2025.09.003>

Williams, D. J.L. and Hodgkinson, J.E., 2015. Fasciolosis in horses: A neglected re-emerging disease. *Equine Veterinary Education*, 29(4), pp. 202–204. Available at: <https://doi.org/10.1111/eve.12521>

Wolf, D., Hermosilla, C. and Taubert, A., 2014. *Oxyuris equi*: Lack of efficacy in treatment with macrocyclic lactones. *Veterinary parasitology*, 201(1-2), pp.163-168. Available at: <https://doi.org/10.1016/j.vetpar.2013.12.009>

Wood, E.L.D., Matthews, J.B., Stephenson, S., Slote, M. and Nussey, D.H., 2013. Variation in faecal egg counts in horses managed for conservation purposes: individual egg shedding consistency, age effects and seasonal variation. *Parasitology*, 140(1), pp. 115-128. Available at: <https://doi.org/10.1017/S003118201200128X>